

**FEEDBACK REPORT**  
**2005 STATE MEDICAID TOBACCO DEPENDENCE TREATMENT SURVEY**

<b>COVERAGE OF TOBACCO DEPENDENCE TREATMENTS FOR THE ENTIRE MEDICAID POPULATION</b>	<b>Total Across All 51 Medicaid Programs</b>	<b>Delaware</b>
Coverage for any pharmacotherapy treatments	<b>39</b>	Yes
Coverage for nicotine gum	<b>31</b>	Yes
Coverage for nicotine patch	<b>33</b>	Yes
Coverage for nicotine nasal spray	<b>28</b>	Yes
Coverage for nicotine inhaler	<b>28</b>	Yes
Coverage for Zyban	<b>36</b>	Yes
Pharmacotherapy limitations: Weeks of treatment per course	<b>12 - unlimited (Mean limit = 12 weeks)</b>	12-24 weeks depending on NRT, Unlimited for Zyban
Pharmacotherapy limitations: Number of courses per year	<b>12 - unlimited (Mean limit = 1.4 courses)</b>	1 course for NRT, Unlimited for Zyban
Pharmacotherapy limitations: Require prior authorization	<b>23 Don't Require</b>	Required for NRT, NOT Required for Zyban
Coverage for any counseling services	<b>14</b>	No
Coverage for individual face-to-face counseling	<b>12</b>	No
Coverage for group counseling	<b>10</b>	No
Coverage for telephone counseling	<b>3</b>	No
Require copayment for tobacco dependence treatments	<b>27 (Mean = \$2.44)</b>	No
<b>STATE QUITLINE</b>		
Medicaid financially supports tobacco Quitline	<b>4</b>	No
<b>PREGNANT WOMEN</b>		
Special program for pregnant women	<b>20</b>	No
<b>DOCUMENTING TOBACCO USE</b>		
Contractually require providers or health plans to document tobacco-use status in the medical record of every patient	<b>4</b>	No
Contractually require providers or health plans to include tobacco use as a vital sign in the medical records (paper records, computer records or vital sign stamp)	<b>1</b>	No
Contractually require providers or health plans to document tobacco-use as part of patient history	<b>3</b>	No
Routinely conduct patient chart audits to determine if tobacco use is documented	<b>4</b>	No

NRT - nicotine replacement therapy

**FEEDBACK REPORT**  
**2005 STATE MEDICAID TOBACCO DEPENDENCE TREATMENT SURVEY**

<b>COVERAGE OF TOBACCO DEPENDENCE TREATMENTS FOR THE ENTIRE MEDICAID POPULATION</b>	<b>Total Across All 51 Medicaid Programs</b>	<b>Delaware</b>
<b>FEEDBACK AND TRAINING</b>		
Provide feedback to providers or health plans on their performance in the area of tobacco dependence treatment	<b>1</b>	No
Inform, train, encourage, or require providers or health plans to utilize the "5 A's" - ask, assess, advise, assist, arrange	<b>4</b>	Yes (Health plans only)
<b>ASSESSMENT OF PROVISION OF TOBACCO DEPENDENCE TREATMENTS</b>		
Assess the degree to which contracted providers or health plans deliver tobacco dependence treatment interventions	<b>9</b>	No
Assess provision of tobacco dependence treatment using chart audits	<b>3</b>	No
Assess provision of tobacco dependence treatment using pharmacy data	<b>4</b>	No
Assess provision of tobacco dependence treatment using HEDIS measures	<b>5</b>	No
<b>DATA COLLECTION</b>		
Measured overall smoking rates among Medicaid recipients in 2004	<b>4</b>	Not Measured
State Medicaid program routinely collects HEDIS 2000-advice to quit	<b>7</b>	No
State Medicaid program routinely collects HEDIS 2003-offered counseling or pharmacotherapy	<b>7</b>	Yes
State Medicaid program routinely collects the number of adult tobacco users who are using pharmacotherapy to treat tobacco dependence	<b>9</b>	No
State Medicaid program routinely collects the number of adult tobacco users who have received counseling for tobacco dependence	<b>6</b>	No